INDEX TO AUTHORS

ABRAMSON, HAROLD A. Electrokinetic phenomena. IX. Electrophoresis and electroosmosis, 1

—. Electrokinetic phenomena. XI. Action of uni-univalent electrolytes on electric mobility of proteins, 593

ALLISON, J. B. See COLE and ALLISON, 677, 895

ANSON, M. L., and MIRSKY, A. E. The estimation of pepsin with hemoglobin, 59

ARNOLD, WILLIAM. See EMERSON and ARNOLD, 191

BARDWELL, KATHLEEN. See BAUMBERGER, JÜRGENSEN, and BARDWELL, 961

BARKER, P. S. See WILSON, MACLEOD, and BARKER, 423

BARNARD, ROBERT D. The effect of cyanide and of variation in alkalinity on the oxidation-reduction potential of the hemoglobin-methemoglobin system, 657

BARNES, MARGARET NOBLE. See RAHN and BARNES, 579

BAUMBERGER, J. PERCY, JÜRGENSEN, J. J., and BARDWELL, KATHLEEN. The coupled redox potential of the lactate-enzyme-pyruvate system, 961

BLAIR, H. A. On the excitation of tissue by means of condenser discharges, 177

—. On the measure of excitability, 165

BLINKS, L. R. Protoplasmic potentials in *Halicystis*. II. The effects of potassium on two species with different saps, 147

BROWN, MORDEN G., LUCK, J. MURRAY, SHEETS, GRACE, and TAYLOR, C. V. The action of x-rays on *Euplotes taylori* and associated bacteria, 397

BURKHOLDER, PAUL R. Movement in the Cyanophyceae: The effect of pH upon movement in *Oscillatoria*, 875

CAMPBELL, NANCY DUVAL. See HUSSEY, THOMPSON, TENNANT, and CAMPBELL, 207

CARPENTER, S. C. See PERTZOFF and CARPENTER, 257

CASTLE, E. S. Dark adaptation and the dark growth response of *Phycomyces*, 75

CLARKE, G. L., and WOLF, ERNST. The mechanisms of tropistic reactions and the strychnine effect in *Daphnia*, 99

COLE, WILLIAM H., and ALLISON, J. B. Stimulation by the mineral acids, hydrochloric, sulfuric, and nitric, in the sunfish *Eupomotis*, 677

— and —. Stimulation by mineral and fatty acids in the barnacle *Balanus balanoides*, 895

CROZIER, W. J., and PINCUS, G. Analysis of the geotropic orientation of young rats. VII, 801

— and —. Analysis of the geotropic orientation of young rats. VIII, 883

—. See STIER and CROZIER, 757

—. See WOLF and CROZIER, 787

DAMON, E. B. Bioelectric potentials in *Valonia*. The effect of substituting KCl for NaCl in artificial sea water, 375

DANIEL, JANET. Electrokinetic phenomena. X. Electric mobility and charge of proteins in alcohol-water mixtures, 457

EAST, E. M., and WHITE, BENJAMIN. The reactions of *Halicystis* and of *Valonia* to injections of certain proteins, 937
— and —. Reactions of *Valonia* and of *Halicystis* to colloids, 925
EMERSON, ROBERT, and ARNOLD, WILLIAM. The photochemical reaction in photosynthesis, 191
ENZMANN, E. V. See KROPP and ENZMANN, 905

FISHER, A. M., and SCOTT, D. A. An attempt at peptic synthesis of insulin, 741
FLEISHER, MOYER S. See MERRILL and FLEISHER, 243

GREENBERG, DAVID M., and GREENBERG, MAX M. Ultrafiltration. II. "Bound" water (hydration) of biological colloids, 559
GREENBERG, MAX M. See GREENBERG and GREENBERG, 559

HILL, EDGAR S. See MICHAELIS and HILL, 859
HITCHCOCK, DAVID I. The combination of certain proteins with hydrochloric acid, 357
HOAGLAND, HUDSON. Electrical responses from the lateral line nerves of catfish. I, 695
—. Quantitative analysis of responses from lateral line nerves of fishes. II, 715
—. Quantitative aspects of cutaneous sensory adaptation. I, 911
—. Specific nerve impulses from gustatory and tactile receptors in catfish, 685
HOWARD, EVELYN. Osmotic relationships in the hen's egg, as determined by colligative properties of yolk and white, 107
HUSSEY, RAYMOND, THOMPSON, WILLIAM R., TENNANT, ROBERT, and CAMPBELL, NANCY DUVAL. The effects of radiations on biological systems. I. Influence of high-frequency x-ray radiation upon the duration of the prepupal period of *Drosophilae*, 207

INGRAHAM, RAYMOND C., LOMBARD, CHARLES, and VISSCHER, MAURICE B. The characteristics of ultrafiltrates of plasma, 637

JOFFE, ELEANORE W. See MUDD and JOFFE, 947
JOHLIN, J. M. Osmotic relationships in the hen's egg, 605
JÜRGENSEN, J. J. See BAUMBERGER, JÜRGENSEN, and BARDWELL, 961

KLEINER, ISRAEL S. See TAUBER and KLEINER, 767
KROPP, B., and ENZMANN, E. V. Photic stimulation and leg movements in the crayfish, 905
KUNITZ, M. See NORTHROP and KUNITZ, 267, 295, 313

LOMBARD, CHARLES. See INGRAHAM, LOMBARD, and VISSCHER, 637
LUCK, J. MURRAY. See BROWN, LUCK, SHEETS, and TAYLOR, 397

MACLEOD, A. G. See WILSON, MACLEOD, and BARKER, 423
MCGARVEY, SARA M. See THOMPSON, MCGARVEY, and WIES, 229

McGarvey, Sara M. See Wies and McGarvey, 221
Merrill, Malcolm H., and Fleisher, Moyer S. Factors involved in the use of organic solvents as precipitating and drying agents of immune sera, 243
Michaelis, L., and Hill, Edgar S. The viologen indicators, 859
Mirsky, A. E. See Anson and Mirsky, 59
Mudd, Emily B. H., and Mudd, Stuart. The process of phagocytosis. The agreement between direct observation and deductions from theory, 625
Mudd, Stuart, and Joffe, Eleanore W. The modification of antibodies by formaldehyde, 947
—. See Mudd and Mudd, 625

Navez, A. E. "Growth-promoting substance" and elongation of roots, 733
— and Robinson, T. W. Automatic recording of movements of plant organs, 125
— and —. Geotropic curvature of *Avena* coleoptiles, 133
Nelson, J. M., and Wilkes, B. G. Similarity of the kinetics of invertase action *in vivo* and *in vitro*. III, 571
Northrop, John H. Crystalline pepsin. IV. Hydrolysis and inactivation by acid, 33
—. V. Isolation of crystalline pepsin from bovine gastric juice, 615
—. Crystalline trypsin. IV. Reversibility of the inactivation and denaturation of trypsin by heat, 323
—. V. Kinetics of the digestion of proteins with crude and crystalline trypsin, 339
—. Pepsin activity units and methods for determining peptic activity, 41
Northrop, John H., and Kunitz, M. Crystalline trypsin. I. Isolation and tests of purity, 267
— and —. II. General properties, 295
— and —. III. Experimental procedure and methods of measuring activity, 313

Osterhout, W. J. V. The kinetics of penetration. IV. Diffusion against a growing potential gradient in models, 157
—. V. The kinetics of a model as related to the steady state, 529

Palmer, Elizabeth T. See Wilkes and Palmer, 233
Pertzoff, V. A., and Carpenter, S. C. The effect of temperature on the titration curve of casein, 257
Pincus, G. See Crozier and Pincus, 801, 883

Rahn, Otto, and Barnes, Margaret Noble. An experimental comparison of different criteria of death in yeast, 579
Robinson, T. W. See Navez and Robinson, 125, 133

Scherp, Henry W. The diffusion coefficient of crystalline trypsin, 795
Schiödt, E. Swelling of erythrocytes in solutions of ammonium salts, 977
Scott, D. A. See Fisher and Scott, 741
Sheets, Grace. See Brown, Luck, Sheets, and Taylor, 397
Stier, T. J. B. The rate of oxygen utilization by yeast as related to temperature, 815
— and Crozier, W. J. Thermostat for lower temperatures, 757
— and Wolf, Ernst. On temperature characteristics for different processes in the same organism, 367

TANG, PEI-SUNG. Temperature characteristic for the anaerobic production of CO_2 by germinating seeds of *Lupinus albus*, 65

TAUBER, HENRY, and KLEINER, ISRAEL S. The digestion and inactivation of maltase by trypsin and the specificity of maltases, 767

TAYLOR, C. V. See BROWN, LUCK, SHEETS, and TAYLOR, 397

TENNANT, ROBERT. See HUSSEY, THOMPSON, TENNANT, and CAMPBELL, 207

—. See THOMPSON and TENNANT, 23, 27

THOMPSON, WILLIAM R. Studies in respirometry. I. A combined gas burette-interferometer respirometer, 5

—, MCGARVEY, SARA M., and WIES, CARL H. A reproducible standard substrate in starch-amylase viscosimetry, 229

— and TENNANT, ROBERT. Studies in respirometry. II. Influence of infrared radiation upon carbon dioxide respiration of *Drosophila* imagos in dry air, 23

— and —. III. An application of refractovolumetric respirometry to the observation of continuous respiratory changes in wet or dry systems, 27

—. See HUSSEY, THOMPSON, TENNANT, and CAMPBELL, 207

VISSCHER, MAURICE B. See INGRAHAM, LOMBARD, and VISSCHER, 637

WELSH, JOHN H. Photokinesis and tonic effect of light in *Unionicola*, 349

WHITAKER, D. M. On the rate of oxygen consumption by fertilized and unfertilized eggs. IV. *Chaetopterus* and *Arbacia punctulata*, 475

—. V. Comparisons and interpretation, 497

WHITE, BENJAMIN. See EAST and WHITE, 925, 937

WIES, CARL H., and MCGARVEY, SARA M. A study of the effects of certain variations in preparation of a starch substrate in amylase viscosimetry, 221

—. See THOMPSON, MCGARVEY, and WIES, 229

WILKES, B. G., and PALMER, ELIZABETH T. Similarity of the kinetics of invertase action *in vivo* and *in vitro*. II, 233

—. See NELSON and WILKES, 571

WILSON, F. N., MACLEOD, A. G., and BARKER, P. S. The distribution of the action currents produced by heart muscle and other excitable tissues immersed in extensive conducting media, 423

WOLF, ERNST. On the relation between measurements of intensity discrimination and of visual acuity in the honey bee, 773

—. Pulsation frequency of the advisceral and abvisceral heart beats of *Ciona intestinalis* in relation to temperature, 89

—. The visual intensity discrimination of the honey bee, 407

— and CROZIER, W. J. The variability of intensity discrimination by the honey bee in relation to visual acuity, 787

—. See CLARKE and WOLF, 99

—. See STIER and WOLF, 367

WORLEY, LEONARD G. Development of the egg of the mackerel at different constant temperatures, 841

INDEX TO SUBJECTS

ACID, hydrolysis and inactivation of crystalline pepsin by, 33
Acids, fatty, stimulation in barnacle *Balanus balanoides*, 895
—, mineral, stimulation in barnacle *Balanus balanoides*, 895
—, —, — — sunfish *Eupomotis*, 677
Air, dry, *Drosophila* imagos in, influence of infrared radiation upon carbon dioxide respiration, 23
Alcohol-water mixtures, electric mobility and charge of proteins in, 457
Alkalinity, variation in, and cyanide, effect on oxidation-reduction potential of hemoglobin-methemoglobin system, 657
Ammonium salts, solutions, swelling of erythrocytes in, 977
Amylase viscosimetry, effects of variations in preparation of starch substrate, 221
Amylase-starch viscosimetry, reproducible standard substrate, 229
Anaerobic production of carbon dioxide by germinating seeds of *Lupinus albus*, temperature characteristic, 65
Antibody, modification by formaldehyde, 947
Arbacia punctulata, rate of oxygen consumption by fertilized eggs, 475
— —, — — oxygen consumption by unfertilized eggs, 475
Avena coleoptiles, geotropic curvature, 133

BACTERIA associated with *Euplotes taylori*, action of x-rays, 397
Balanus balanoides, stimulation by fatty acids, 895
— —, — — mineral acids, 895
Barnacle, *Balanus balanoides*, stimulation by fatty acids, 895
—, — —, stimulation by mineral acids, 895
Bee, honey, relation between measurements of intensity discrimination and of visual acuity, 773
—, —, variability of intensity discrimination in relation to visual acuity, 787
—, —, visual intensity discrimination, 407
Bioelectric potentials in *Valonia*, 375
Biological colloids, bound water, 559
— systems, effects of radiations, 207
Blood corpuscles, red. *See* Erythrocytes.
Burette-interferometer respirometer, gas, 5

CARBON dioxide production, anaerobic, by germinating seeds of *Lupinus albus*, temperature characteristic, 65
— — respiration of *Drosophila* imagos in dry air, influence of infrared radiation, 23
Casein, titration curve, effect of temperature, 257
Catfish, electrical responses from lateral line nerves, 695

Catfish, specific nerve impulses from gustatory and tactile receptors, 685
Cattle, gastric juice, isolation of crystalline pepsin, 615
Chaetopterus, rate of oxygen consumption by fertilized eggs, 475
—, — — oxygen consumption by unfertilized eggs, 475
Ciona intestinalis, pulsation frequency of advisceral and abvisceral heart beats in relation to temperature, 89
Coleoptiles, *Avena*, geotropic curvature, 133
Colligative properties of yolk and white, osmotic relationships in hen's egg determined by, 107
Colloids, biological, bound water, 559
—, reactions of *Halicystis* and *Valonia*, 925
—, — — *Valonia* and *Halicystis*, 925
Condenser discharges, excitation of tissue by means of, 177
Corpuscles, blood, red. *See* Erythrocytes.
Crayfish, photic stimulation and leg movements, 905
Cyanide and variation in alkalinity, effect on oxidation-reduction potential of hemoglobin-methemoglobin system, 657
Cyanophyceae, movement, 875

DAPHNIA, mechanisms of tropistic reactions, and strychnine effect, 99
Death criteria in yeast, comparison, 579
Diffusion coefficient of crystalline trypsin, 795
Digestion and inactivation of maltase by trypsin, 767
—, proteins, with crude and crystalline trypsin, kinetics, 339
Drosophila imagos, carbon dioxide respiration, influence of infrared radiation in dry air, 23
Drosophilae, prepupal period, influence of high-frequency x-ray radiation upon duration, 207

EGG, hen's, osmotic relationships, 605
—, —, — — determined by colligative properties of yolk and white, 107
—, mackerel, development at different constant temperatures, 841
Eggs, fertilized, of *Arbacia punctulata*, rate of oxygen consumption, 475
—, —, — *Chaetopterus*, rate of oxygen consumption, 475
—, — and unfertilized, rate of oxygen consumption, comparisons and interpretation, 497
—, unfertilized, of *Arbacia punctulata*, rate of oxygen consumption, 475
—, —, — *Chaetopterus*, rate of oxygen consumption, 475
Electric charge and mobility of proteins in alcohol-water mixtures, 457
— mobility and charge of proteins in alcohol-water mixtures, 457
— — of proteins, action of uni-univalent electrolytes, 593
— responses from lateral line nerves of catfish, 695
Electricity, distribution of action currents produced by heart muscle and other excitable tissues immersed in extensive conducting media, 423
—, excitation of tissue by means of condenser discharges, 177
—, measure of excitability, 165
Electrokinetic phenomena, 1, 457, 593

Electrolytes, uni-univalent, action on electric mobility of proteins, 593
Electroosmosis and electrophoresis, 1
Electrophoresis and electroosmosis, 1
Enzyme, coupled redox potential of lactate-enzyme-pyruvate system, 961
Erythrocytes, swelling in solutions of ammonium salts, 977
Euplotes taylori and associated bacteria, action of x-rays, 397
Eupomotis, stimulation by hydrochloric acid, 677
—, — — mineral acids, 677
—, — — nitric acid, 677
—, — — sulfuric acid, 677
Excitability, measure, 165
Excitable tissues, and heart muscle, immersed in extensive conducting media, distribution of action currents, 423
Excitation, tissue, by means of condenser discharges, 177

FATTY acids, stimulation, in barnacle *Balanus balanoides*, 895
Fertilized eggs of *Arbacia punctulata*, rate of oxygen consumption, 475
— — — *Chaetopterus*, rate of oxygen consumption, 475
— and unfertilized eggs, rate of oxygen consumption, comparisons and interpretation, 497
Filtration. *See* Ultrafiltration.
Fishes, lateral line nerves, quantitative analysis of responses, 715
Formaldehyde, modification of antibodies, 947
Fowl, osmotic relationships in hen's egg, 605
—, — — in hen's egg, determined by colligative properties of yolk and white, 107

GAS burette-interferometer respirometer, 5
Gastric. *See* Stomach.
Geotropic curvature of *Avena* coleoptiles, 133
— orientation of young rats, 801, 883
Germinating seeds of *Lupinus albus*, temperature characteristic for anaerobic production of carbon dioxide, 65
Growth response, dark, of *Phycomyces*, 75
Growth-promoting substance and elongation of roots, 733
Gustatory receptors in catfish, specific nerve impulses from, 685

HALICYSTIS, protoplasmic potentials, 147
—, reactions to colloids, 925
—, — — injections of proteins, 937
—, two species with different saps, effects of potassium, 147
Heart beats, advisceral and abvisceral, of *Ciona intestinalis*, pulsation frequency in relation to temperature, 89
— muscle and other excitable tissues immersed in extensive conducting media, distribution of action currents, 423
Heat, inactivation and denaturation of crystalline trypsin by, reversibility, 323
Hemoglobin, estimation of pepsin with, 59
Hemoglobin-methemoglobin system, oxidation-reduction potential, effect of cyanide and variation in alkalinity, 657
Hydration, biological colloids, 559
Hydrochloric acid, proteins combined with, 357
— — stimulation of sunfish *Eupomotis*, 677

Hydrogen ion concentration, effect upon movement in *Oscillatoria*, 875

IMAGOS, *Drosophila*, carbon dioxide respiration, influence of infrared radiation in dry air, 23
Immune sera, factors involved in use of organic solvents as precipitating and drying agents, 243
Indicators, viologen, 859
Infrared radiation, influence upon carbon dioxide respiration of *Drosophila* imagos in dry air, 23
Insulin, peptic synthesis, 741
Interferometer, burette-, respirometer, gas, 5
Invertase action *in vivo* and *in vitro*, similarity of kinetics, 233, 571
In vitro and *in vivo*, invertase action, similarity of kinetics, 233, 571
— *vivo* and *in vitro*, invertase action, similarity of kinetics, 233, 571

KINETICS of digestion of proteins with crude and crystalline trypsin, 339
— — invertase action, similarity *in vivo* and *in vitro*, 233, 571
— — penetration, 157, 529
— — — in a model as related to steady state, 529

LACTATE-enzyme-pyruvate system, coupled redox potential, 961
Leg movements and photic stimulation in crayfish, 905
Light, tonic effect, and photokinesis in *Unionicola*, 349
Lupinus albus, germinating seeds, temperature characteristic for anaerobic production of carbon dioxide, 65

MACKEREL egg, development at different constant temperatures, 841
Maltase, digestion and inactivation by trypsin, 767
Maltases, specificity, 767
Methemoglobin-hemoglobin system, oxidation-reduction potential, effect of cyanide and variation in alkalinity, 657
Mineral acids, stimulation in barnacle *Balanus balanoides*, 895
— —, — — sunfish *Eupomotis*, 677
Muscle, heart, and other excitable tissues immersed in extensive conducting media, distribution of action currents, 423

NERVE impulses, specific from gustatory and tactile receptors in catfish, 685
Nerves, lateral line, of catfish, electrical responses from, 695
—, — —, of fishes, responses from, quantitative analysis, 715
Nitric acid stimulation of sunfish *Eupomotis*, 677

ORGANIC solvents as precipitating and drying agents of immune sera, 243
Orientation, geotropic, of young rats, 801, 883
Oscillatoria, movement, effect of hydrogen ion concentration, 875
Osmotic relationships in hen's egg, 605
— — — hen's egg, as determined by colligative properties of yolk and white, 107
Oxidation-reduction potential, coupled, of lactate-enzyme-pyruvate system, 961
— — of hemoglobin-methemoglobin system, effect of cyanide and variation in alkalinity, 657

Oxygen consumption by fertilized eggs of *Arbacia punctulata*, rate, 475
— — — fertilized eggs of *Chaetopterus*, rate, 475
— — — — and unfertilized eggs, rate, comparisons and interpretation, 497
— — — unfertilized eggs of *Arbacia punctulata*, rate, 475
— — — unfertilized eggs of *Chaetopterus*, rate, 475
— utilization by yeast, rate, relation to temperature, 815

PENETRATION, kinetics, 157, 529
Pepsin activity units and methods for determining peptic activity, 41
—, crystalline, 33, 615
—, —, hydrolysis and inactivation by acid, 33
—, —, isolated from bovine gastric juice, 615
—, estimation with hemoglobin, 59
Peptic activity, methods for determining, and pepsin activity units, 41
— synthesis of insulin, 741
Phagocytosis, agreement between direct observation and deductions from theory, 625
Photic stimulation and leg movements in crayfish, 905
Photochemical reaction in photosynthesis, 191
Photokinesis and tonic effect of light in *Unionicola*, 349
Photosynthesis, photochemical reaction, 191
Phycomyces, dark adaptation, 75
—, — growth response, 75
Plant organs, movements, automatic recording, 125
Plasma, ultrafiltrates, characteristics, 637
Potassium chloride substituted for sodium chloride in artificial sea water, effect on bioelectric potentials in *Valonia*, 375
—, effects on two species of *Halicystis* with different saps, 147
Potential, coupled redox, of lactate-enzyme-pyruvate system, 961
— gradient, growing, in models, diffusion against, 157
—, oxidation-reduction, of hemoglobin-methemoglobin system, effect of cyanide and variation in alkalinity, 657
Potentials, bioelectric, in *Valonia*, 375
—, protoplasmic, in *Halicystis*, 147
Precipitating and drying agents of immune sera, organic solvents used as, 243
Proteins combined with hydrochloric acid, 357
—, electric mobility, action of uni-univalent electrolytes, 593
—, — — and charge in alcohol-water mixtures, 457
—, kinetics of digestion with crude and crystalline trypsin, 339
—, reactions of *Halicystis* and *Valonia* to injections, 937
—, — — *Valonia* and *Halicystis* to injections, 937
Protoplasmic potentials in *Halicystis*, 147
Pulsation frequency of advisceral and abvisceral heart beats of *Ciona intestinalis* in relation to temperature, 89
Pupa, influence of high-frequency x-ray radiation upon duration of prepupal period of *Drosophilae*, 207
Pyruvate-enzyme-lactate system, coupled redox potential, 961

RADIATION, infrared, influence upon carbon dioxide respiration of *Drosophila* imagos in dry air, 23
—, x-ray, high-frequency, influence upon duration of prepupal period of *Drosophilae*, 207
Radiations, effects on biological systems, 207
Receptors, gustatory, in catfish, specific nerve impulses from, 685
—, tactile, in catfish, specific nerve impulses from, 685
Redox. *See* Oxidation; Reduction.
Reduction-oxidation potential, coupled, of lactate-enzyme-pyruvate system, 961
— —, of hemoglobin-methemoglobin system, effect of cyanide and variation in alkalinity, 657
Refractovolumetric respirometry, application to observation of continuous respiratory changes in wet or dry systems, 27
Respiration, carbon dioxide, of *Drosophila* imagos in dry air, influence of infrared radiation, 23
Respiratory changes, continuous, in wet or dry systems, application of refractovolumetric respirometry to observation of, 27
Respirometer, combined gas burette-interferometer, 5
Respirometry, 5, 23, 27
—, refractovolumetric, application to observation of continuous respiratory changes in wet or dry systems, 27
Roentgen rays. *See* X-ray.
Roots, elongation, and growth-promoting substance, 733

SALTS, ammonium, solutions, swelling of erythrocytes in, 977
Saps, *Halicystis*, two species, effects of potassium, 147
Seeds, germinating, of *Lupinus albus*, temperature characteristic for anaerobic production of carbon dioxide, 65
Sensory adaptation, cutaneous, quantitative aspects, 911
Sera, immune, factors involved in use of organic solvents as precipitating and drying agents, 243
Skin, sensory adaptation, quantitative aspects, 911
Sodium chloride, potassium chloride substituted for, in artificial sea water, effect on bioelectric potentials in *Valonia*, 375
Specificity, maltases, 767
Starch substrate in amylase viscosimetry, effects of variations in preparation, 221
Starch-amylase viscosimetry, reproducible standard substrate, 229
Stimulation by fatty acids in barnacle *Balanus balanoides*, 895
— — hydrochloric acid in sunfish *Eupomotis*, 677
— — mineral acids in barnacle *Balanus balanoides*, 895
— — — — in sunfish *Eupomotis*, 677
— — nitric acid in sunfish *Eupomotis*, 677
— — sulfuric acid in sunfish *Eupomotis*, 677
—, photic, and leg movements in crayfish, 905
Stomach, secretion, bovine, isolation of crystalline pepsin from, 615
Strychnine effect in *Daphnia*, and mechanisms of tropistic reactions, 99
Sulfuric acid stimulation of sunfish *Eupomotis*, 677
Sunfish, *Eupomotis*, stimulation by hydrochloric acid, 677
—, —, — — mineral acids, 677
—, —, — — nitric acid, 677
—, —, — — sulfuric acid, 677

Swelling, erythrocytes, in solutions of ammonium salts, 977
Synthesis, peptic, of insulin, 741

TACTILE receptors in catfish, specific nerve impulses from, 685
Temperature characteristic for anaerobic production of carbon dioxide by germinating seeds of *Lupinus albus*, 65
— characteristics for different processes in same organism, 367
—, effect on titration curve of casein, 257
—, pulsation frequency of advisceral and abvisceral heart beats of *Ciona intestinalis* in relation to, 89
—, rate of oxygen utilization by yeast as related to, 815
Temperatures, constant, different, development of mackerel egg, 841
—, lower, thermostat, 757
Thermostat for lower temperatures, 757
Tissue, excitation by means of condenser discharges, 177
Tissues, excitable, and heart muscle, immersed in extensive conducting media, distribution of action currents, 423
Titration curve of casein, effect of temperature, 257
Tropistic reactions and strychnine effect in *Daphnia*, mechanisms, 99
Trypsin, crude and crystalline, kinetics of digestion of proteins with, 339
—, crystalline, 267, 295, 313, 323, 339
—, —, diffusion coefficient, 795
—, —, experimental procedure and methods of measuring activity, 313
—, —, general properties, 295
Trypsin, crystalline, inactivation and denaturation by heat, reversibility, 323
—, —, isolation and tests of purity, 267
—, digestion and inactivation of maltase by, 767

ULTRAFILTRATES of plasma, characteristics, 637
Ultrafiltration, 559
Unionicola, photokinesis and tonic effect of light, 349

VALONIA, bioelectric potentials, 375
—, reactions to colloids, 925
—, — — injections of proteins, 937
Viologen indicators, 859
Viscosimetry, amylase, effects of variations in preparation of starch substrate, 221
—, starch-amylase, reproducible standard substrate, 229
Vision, acuity, and intensity discrimination in honey bee, relation between measurements, 773
—, —, of honey bee, relation of variability of intensity discrimination, 787
—, intensity discrimination of honey bee, 407

WATER, bound, of biological colloids, 559
—, sea, artificial, potassium chloride substituted for sodium chloride in, effect on bioelectric potentials in *Valonia*, 375
Water-alcohol mixtures, electric mobility and charge of proteins in, 457

X-RAY action on *Euplotes taylori* and associated bacteria, 397

X-ray radiation, high-frequency, influence upon duration of prepupal period of *Drosophilae*, 207

YEAST, death criteria, comparison, 579
—, oxygen utilization, rate, relation to temperature, 815